

## MN/DOT APPROVED ADMIXTURES A-G

TYPE A--Water Reducing

TYPE A (MR) -- Water Reducing (Mid Range)

TYPE B--Retarding

TYPE C--Accelerating

TYPE D--Water Reducing and Retarding

TYPE E--Water Reducing and Accelerating

TYPE F--Water Reducing, High Range

TYPE G--Water Reducing, High Range and Retarding

## These products contain chlorides that were added to the admixture during manufacturing.

<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>AXIM</b>				
CATEXOL 800N	2 - 6 oz	130 - 390 mL	A	AX800N
CATEXOL 1000N	1.5 - 5 oz	100 - 325 mL	A	AX1000N
CATEXOL 3000 GP	2 - 8 oz	130 - 520 mL	A	AX3000GP
CATEXOL 2000Ni	3 - 12 oz	200 - 780 mL	A	AX2000NI
DURAFLUX 66	2 - 6 oz	130 - 390 mL	A	AXDURA66
CATEXOL 800R	3 - 6 oz	200 - 390 mL	B	AX800R
CATEXOL 1000 RHE	8 - 48 oz	520 - 3130 mL	C	AX1000RHE
CATEXOL 1000R	1.5 - 4 oz	100 - 260 mL	D	AX1000R
CATEXOL 2000 RHE	5 - 60 oz	325 - 3910 mL	E	AX2000RHE
CATEXOL 1000SPMN	10 - 40 oz	650 - 2600 mL	F	AX1000SP
SUPERFLUX 2000 PC	2 - 10 oz	200 - 650 mL	F	AXS2000PC
DURAFLUX 66	5 - 8 oz	325 - 520 mL	F	AXDURA66
CATEXOL 2000Ni	12 - 24 oz	780 - 1560 mL	G	AX2000NI
<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>CONCHEM</b>				
PROKRETE N	4 - 8 oz	260 - 520 mL	A	CCPROKTN
CONCHEM 4N1	3 - 15 oz	195 - 975 mL	A	CC4N1
PROTARD II	2-4 oz TEMP D	130 - 260 mL	B	CCPROTII
## CONCHEM HE 202 I	8 - 64 oz	520 - 4170 mL	C	CCHE202I
CONCHEM 25 RI	3 - 5 oz	195 - 325 mL	D	CC25RI
CONCHEM SPL	6 - 15 oz	390 - 975 mL	F	CCSPL
CONCHEM HRN	10 - 25 oz	650 - 1630 mL	G	CCHRN
<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>ENDURACON</b>				
ENDURACON WR	3 - 6 oz	195 - 390 mL	A	ENDURWR
ENDURACON MR	3 - 12 oz	195 - 780 mL	A	ENDURMR
ENDURACON HR	8 - 20 oz	520 - 1300 mL	F	ENDURHR

## MN/DOT APPROVED ADMIXTURES A-G

TYPE A--Water Reducing

TYPE A (MR) -- Water Reducing (Mid Range)

TYPE B--Retarding

TYPE C--Accelerating

TYPE D--Water Reducing and Retarding

TYPE E--Water Reducing and Accelerating

TYPE F--Water Reducing, High Range

TYPE G--Water Reducing, High Range and Retarding

## These products contain chlorides that were added to the admixture during manufacturing.

<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>EUCLID</b>				
EUCON WR-75	2 - 3 oz	130 - 195 mL	A	EUWR75
EUCON WR-91	2 - 6 oz	130 - 390 mL	A	EUWR91
EUCON MR	4 - 10 oz	260 - 650 mL	A	EUMR
PLASTOL 341	4 - 6 oz	260 - 390 mL	A	EUPLA341
EUCON RETARDER 100	2 - 6 oz	130 - 390 mL	B,D	EURET100
## ACCELGUARD HE	16 - 32 oz	1040 - 2085 mL	C	EUACCELHE
ACCELGUARD NCA	12 - 75 oz	780 - 4890 mL	E	EUACCNCA
ACCELGUARD 80	16 - 32 oz	1040 - 2085 mL	E	EUACCEL80
PLASTOL 5000	3 - 15 oz	195 - 975 mL	F	EUPLA5000
PLASTOL 5500	3 - 8 oz	195-520 mL	F	EUPLA5500
EUCON 37	8 - 18 oz	520 - 1170 mL	F	EU37
<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>GRT</b>				
POLYCHEM 400NC	3 - 8 oz	195 - 520 mL	A	GRTP400NC
POLYCHEM PAVER PLUS	2 - 8 oz	130 - 520 mL	A	GRTPOLYPP
POLYCHEM SPC	2 - 20 oz	130 - 1300 mL	A	GRTPLYSPC
MELCHEM M	3 - 16 oz	195 - 1045 mL	A	GRTMLCHMM
POLYCHEM 1000	3 - 10 oz	200 - 650 mL	A	GRTP1000
POLYCHEM KB 1000	3 -10 oz	200 - 650 mL	A	GRTKB1000
POLYCHEM R	2 - 6 oz	130 - 390 mL	B	GRTPOLYR
POLYCHEM SUPER SET	8 - 40 oz	520 - 2600 mL	C	GRTPOLYSS
POLYCHEM SUPER SET III	8 - 32 oz	520 - 2085 mL	C	GRTPOLYSSIII
## POLYCHEM HE	8 - 32 oz	520 - 2085 mL	E	GRTPOLYHE
MELCHEM	6 - 18 oz	390 - 1170 mL	F	GRTMELCHM
POLYCHEM 3000	10 - 26 oz	650 - 1695 mL	F	GRTP3000

## MN/DOT APPROVED ADMIXTURES A-G

TYPE A--Water Reducing

TYPE A (MR) -- Water Reducing (Mid Range)

TYPE B--Retarding

TYPE C--Accelerating

TYPE D--Water Reducing and Retarding

TYPE E--Water Reducing and Accelerating

TYPE F--Water Reducing, High Range

TYPE G--Water Reducing, High Range and Retarding

## These products contain chlorides that were added to the admixture during manufacturing.

Manufacturer Product Name	Dosage per 100 # Cement	Dosage per 100 kg Cement	Type	Mn/DOT Standard Abbreviation
<b>BASF ADMIXTURES INC. (FORMERLY CALLED MASTER BUILDERS)</b>				
POZZOLITH 322 N	3 - 7 oz	195 - 460 mL	A	MBPZ322N
MASTERPAVE	4 - 6 oz	260 - 390 mL	A	MBMP
POLYHEED 997	3 - 15 oz	195 - 975 mL	A	MBPOLY997
POLYHEED 1020	3 - 12 oz	195 - 780 mL	A	MBPOL1020
GLENIUM 3030NS	3 - 6 oz	195 - 390 mL	A	BSF3030NS
POLYHEED 1025	3 - 12 oz	195 - 780 ml	A	MBPH1025
DELVO	3 - 5 oz	195 - 325 mL	B	MBDELVO
POZZOLITH NC 534	10 - 45 oz	650 - 2930 mL	C	MBPZNC534
## POZZOLITH 122 HE	16 - 64 oz	1040 - 4170 mL	C	MBPZ122HE
POZZOLITH 100 XR	3 - 5 oz	200 - 325 mL	D	MBPZ100XR
POZZUTEC 20	5 - 60 oz	325 - 3900 mL	E	MBPOZ20
POZZUTEC 20+	5 - 60 oz	325 - 3900 mL	E	MBPOZ20+
GLENIUM 7500	2 - 15 oz	130 - 975 mL	F	BSFGL7500
GLENIUM 3030NS	3 - 18 oz	195 - 1170 mL	F	BSF3030NS
PS1466	2 - 10 oz	130 - 650 mL	F	MBPS1466
GLENIUM 7700	4 - 15 oz	260 - 975 mL	F	BSFGL7700
POZZOLITH 400 N	10 - 25 oz	650 - 1630 mL	G	MBPOZ400N
Manufacturer Product Name	Dosage per 100 # Cement	Dosage per 100 kg Cement	Type	Mn/DOT Standard Abbreviation
<b>RUSSTECH</b>				
LC-400	3 - 5 oz	195 - 325 mL	A	RTL400
FINISHEASE NC	3 - 12 oz	195 - 780 mL	A	RTFINESNC
LC-500 R	2 - 4 oz	130 - 260 mL	B,D	RTL500R
LCNC-166	16 - 90 oz	1040 - 5860 mL	C	RTLNC166
SUPERFLO 2000 RM	10 - 26 oz	650 - 1695 mL	F	RTS2000RM
SUPERFLO 2000 SCC	3 - 26 oz	196 - 1695 mL	F	RT2000SCC
SUPERFLO 443	10 - 26 oz	652 - 1695 mL	F	RT443

**MN/DOT APPROVED ADMIXTURES A-G**

TYPE A--Water Reducing

TYPE A (MR) -- Water Reducing (Mid Range)

TYPE B--Retarding

TYPE C--Accelerating

TYPE D--Water Reducing and Retarding

TYPE E--Water Reducing and Accelerating

TYPE F--Water Reducing, High Range

TYPE G--Water Reducing, High Range and Retarding

## These products contain chlorides that were added to the admixture during manufacturing.

<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>SIKA</b>				
PLASTOCRETE 161	3 - 5 oz	195 - 325 mL	A	SIPC161
PLASTOCRETE 169	2 - 4 oz	130 - 260 mL	A	SIPC169
SIKAMENT 686	3 - 12 oz	195 - 780 mL	A	SIKA686
VISCOCRETE 4100	3 - 8 oz	195 - 520 mL	A	SIVIS4100
SIKAMENT HP	5 - 10 oz	325 - 650 mL	A	SIKAHP
PLASTOCRETE 161MR	3 - 6 oz	195 - 390 mL	B	SIPC161MR
##PLASTOCRETE 161HE	6 - 64 oz	390 - 4170 mL	C	SIPC161HE
SIKA RAPID 1	4 - 48 oz	260 - 3130 mL	C	SIRAPID1
PLASTIMENT	2 - 4 oz	130 - 260 mL	D	SIPLSTMNT
SET NC	10 - 45 oz	650 - 2930 mL	E	SIKANC
SIKAMENT 686	3 - 12 oz	195 - 780 mL	F	SIKA686
VISCOCRETE 6100	3 - 8 oz	195 - 520 mL	F	SIVIS6100
VISCOCRETE 4100	3 - 8 oz	195 - 520 mL	F	SIVIS4100
VISCOCRETE 2100	2 - 6 oz	130-390 mL	F	SIVIS2100
<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>SPECCO INDUSTRIES</b>				
SPECCO #1920	8 - 16 oz	520 - 1040 mL	A	SPEC1920

## MN/DOT APPROVED ADMIXTURES A-G

TYPE A--Water Reducing

TYPE A (MR) -- Water Reducing (Mid Range)

TYPE B--Retarding

TYPE C--Accelerating

TYPE D--Water Reducing and Retarding

TYPE E--Water Reducing and Accelerating

TYPE F--Water Reducing, High Range

TYPE G--Water Reducing, High Range and Retarding

## These products contain chlorides that were added to the admixture during manufacturing.

<b>Manufacturer Product Name</b>	<b>Dosage per 100 # Cement</b>	<b>Dosage per 100 kg Cement</b>	<b>Type</b>	<b>Mn/DOT Standard Abbreviation</b>
<b>W R GRACE</b>				
ADVA 140 M	6 - 16 oz	390 - 1040 mL	A	WRGADV140
WRDA 82	3 - 5 oz	195 - 325 mL	A	WRGWRDA82
DARACEM 65	3 - 9 oz	195 - 590 mL	A	WRGDARA65
MIRA 92	2.5 - 15 oz	160 - 975 mL	A	WRGMIRA92
MIRA 62	2.5 - 4 oz	160 - 260 mL	A	WRGMIRA62
DARASET 400	10 - 60 oz	650 - 3900 mL	C	WRGDAR400
POLARSET	8 - 60 oz	520 - 3900 mL	C	WRGPLRSET
RECOVER	2 - 6 oz	130 - 390 mL	D	WRGRECOV
## DARACCEL	8 - 40 oz	520 - 2600 mL	E	WRGDARCEL
ADVA 140 M	6 - 16 oz	390 - 1040 mL	F	WRGADV140
ADVA CAST 575	2 - 10 oz	130 - 650 mL	F	WRGADV575
ADVA 190	3 - 9 oz	195 - 590 mL	F	WRGADV190
DARACEM 19	6 - 20 oz	390 - 1300 mL	F	WRGDAR19
DARACEM 100	5 - 20 oz	325 - 1300 mL	G	WRGDAR100